

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
30 November 2000 (30.11.2000)

PCT

(10) International Publication Number
WO 00/71701 A1

(51) International Patent Classification⁷: C12N 15/10,
15/62, 15/64, C12P 21/02

(21) International Application Number: PCT/US00/14122

(22) International Filing Date: 23 May 2000 (23.05.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/135,677 24 May 1999 (24.05.1999) US

(71) Applicants (for all designated States except US): NEW
ENGLAND BIOLABS, INC. [US/US]; 32 Tozer Road,
Beverly, MA 01915 (US). BOSTON BIOMEDICAL RE-
SEARCH INSTITUTE [US/US]; 25 Grove Street, Water-
town, MA 02472 (US).

(72) Inventors: and

(75) Inventors/Applicants (for US only): XU, Ming-Uan
[US/US]; 40 Crescent Road, Hamilton, MA 01982 (US).
EVANS, Thomas, C. [US/US]; 1st floor, 68 Albion Street,

Somerville, MA 02143 (US). PRADHAN, Sriharsa
[IN/US]; 6 Beverly Commons, Essex # 1, Beverly, MA
01915 (US). COMB, Donald, G. [US/US]; 9 Proctor
Street, Manchester, MA 01944 (US). PAULUS, Henry
[US/US]; 85 East India Row, Boston, MA 02210 (US).
SUN, Lue [CN/US]; 46 Plum Street, Hamilton, MA 01982
(US). CHEN, Lixin [CN/US]; 60 Rantoul Street #409,
Beverly, MA 01915 (US). GHOSH, Inca [IN/US]; 10
Cottage Avenue, Somerville, MA 02144 (US).

(74) Agent: WILLIAMS, Gregory, D.; New England Biolabs,
Inc., 32 Tozer Road, Beverly, MA 01915 (US).

(81) Designated States (national): AU, CA, CN, IN, JP, US.

(84) Designated States (regional): European patent (AT, BE,
CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC,
NL, PT, SE).

Published:

— With international search report.

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: METHOD FOR GENERATING SPLIT, NON-TRANSFERABLE GENES THAT ARE ABLE TO EXPRESS AN AC-
TIVE PROTEIN PRODUCT

(57) Abstract: A new type of transgene system is disclosed which allows efficient protein expression in a target host such as a
plant, but avoids the undesirable result of the migration of the transgene into related host systems and/or to the environment via the
pollen. The methods described herein may also be applied to the expression of virtually any protein of interest (e.g. a toxic protein)
in eukaryotic (yeast, insect, mammalian cells, etc.) and prokaryotic (*E. coli*, etc.) organisms.

WO 00/71701 A1